Y	Application No.	Applicant(s)
Notice of Allowability	10/649,201	MCELHANEY, WAYNE
	Examiner	Art Unit
	Khoa Tran	3634
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 8/28/03 and a tel. int. on 09/01/04.		
2. The allowed claim(s) is/are <u>1-12</u> .		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Dat 98), 7. ☑ Examiner's Amendn	e <u>9/01/04</u> .
U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) No.	otice of Allowability	Part of Paper No./Mail Date 2003082

Application/Control Number: 10/649,201

Art Unit: 3634

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. York, Olen on September 01, 2004.

The application has been amended as follows:

Claim 1, line 1, "mounted" has been replaced with --for mounting--; line 14, 17, and 19, "sized" has been replaced with --adapted--

Claim 12, line 2, "including the PANTONE R series of yellow" has been deleted

With respect to the specification, on page 5, line 10, "rack" has been replaced with --support-- and on page 8, line 12, a reference numeral --47-- has been inserted after the word "handle"

Drawings

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: With respect to Figure 1, a reference numeral --20-- with a lead line and an arrowhead has been added to point to a storage volume of the organizer. With respect to Figure 3b, a reference numeral 47 with a lead line has been added to point to a handle of the drawer. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Application/Control Number: 10/649,201

Art Unit: 3634

Allowance

The following is a statement of reasons for the indication of allowable subject matter:

Claims 1-12 are allowed because there is no prior art of record that teaches or suggests a tool organizer possessing the entire combination of features specified by the claims. In particular, while features may be individually known, there is no teaching or suggestion of a support plate (46) projected from a front of the tool organizer and coextensive with the base (22) and has three sizes of small (40b), intermediate (40a), and large (42) apertures to accommodate various of hand tools and a container, see claim 1, lines 11-19. Further, the claims are allowable because the mere fact references may be can be combined or modified, they do not render the resultant combination obvious unless the prior art also suggests the desirability of the combination. Furthermore, since the lack of suggestion or motivation to make the proposed modification to combine thereof, the modification would render the prior art invention being modified unsatisfactory for its intended purpose.

Any comments considered necessarily by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khoa Tran whose telephone number is (703) 306-3437.

Application/Control Number: 10/649,201

Art Unit: 3634

7:00 P.M.

The examiner can normally be reached on Monday through Thursday from 9:30 A.M. to

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun, can be reached on (703) 308-2156. The fax phone number for this Group before a final Office action is (703) 872-9306 and after a final Office action is (703) 872-9327.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-2168.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

∞7

LESLIE A. BRAUN SUPERVISORY PATENT EXAMINER

Khoa Tran

September 01, 2004



<u>Figure 1</u>

